

Test Report

Date: 23rd Aug. 2021

Client name: SHANGHAI XIAN'ER TEXTILE TECH.CO., LTD.

Client address: #11,1333 JIANGNAN RD. SOUTH, CHANGXING TOWN, CHONGMING DISTRICT,
SHANGHAI

Assignment ID: 14A2102242

Sample No.: 14S21006887

Report on the submitted sample identified by the client as below:

Product Name	71K Antimicrobial Yarn
Quantity Received	1pcs
Batch No.	21-1#
Manufacturer	SHANGHAI XIAN'ER TEXTILE TECH.CO., LTD.
Sample Receiving Condition	Room temperature
Sample Receiving Date	19 th Apr.2021
Testing Period	12 th Jun.2021-10 th Jul.2021

Test Requested, Test Method and Test Results:

Please refer to the following page(s), **Attachment 1**.

The above sample was submitted and identified by the client. The test was carried out by SGS subcontractor certified ISO 17025 by CNAS. The results contained in this Report are in the scope of ISO 17025 certification.

Signed for and on behalf of SGS

Faye Wang

Faye Wang
Life Science Quality Assurance
Authorized Signature

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, identification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/ inspection report & certificate, please contact us at telephone: (86-755) 8307 1443 or email: CN.Doccheck@sgs.com

3rd Building No.889 Yishan Road Xuhui District, Shanghai, China 200233 t(86-21)61152197 f(86-21)64951517 www.sgs.com.cn
中国.上海.徐汇区宜山路 889 号 3 号楼 邮编: 200233 t(86-21)61152197 f(86-21)64951517 e.sgs.china@sgs.com

Member of SGS Group (SGS SA)

Client name: SHANGHAI XIAN'ER TEXTILE TECH.CO., LTD.
Client address: #11,1333 JIANGNAN RD. SOUTH, CHANGXING TOWN, CHONGMING DISTRICT, SHANGHAI

Assignment ID: 14A2102242
Sample No.: 14S21006887

Attachment 1: Test for skin sensitization (Maximization test)

SUMMARY

A guinea pig maximization test of the test article, 71K Antimicrobial Yarn, was conducted to evaluate the skin sensitizing potential. This study was based on the International Organization for Standardization ISO 10993-10:2010: Biological evaluation of medical devices part 10: Tests for irritation and skin sensitization; ISO10993-12: 2012: Biological evaluation of medical devices Part 12: Sample preparation and reference materials.

The test article was extracted in 0.9% sodium chloride injection (SC) and cotton seed oil (CSO). Each extract was injected intradermally and patched occlusively to ten test guinea pigs (per extract) in an attempt to induce sensitization. The vehicle was similarly injected and patched occlusively to five reagent control guinea pigs (per vehicle). Following a recovery period, the test and reagent control animals were received a challenge patch of the appropriated test article extract and the reagent control. All sites were scored at 24 h and 48 h after patch removal.

Under the conditions of this study, the SC and CSO extracts of the test article showed no evidence of causing sensitization in the guinea pig.

MATERIALS

The test article was provided by the sponsor was identified and handled as follows:

Test Article:	71K Antimicrobial Yarn
Sterilization Status:	Non-sterile
Storage Conditions:	Room temperature
Extraction Vehicle:	0.9% sodium chloride injection (SC) Cotton seed oil (CSO)
Test Article Preparation:	According the requirement of the sponsor, the test samples were sterilized by ethylene oxide two weeks before the treatment. According the statement of the sponsor, the absorption capacity of test sample was 14ml/g of SC and 15ml/g of CSO [Volume of extraction vehicle to the test sample] separately

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, identification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The company's sole responsibility is to its Client and this document does not operate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/ inspection report & certificate, please contact us at telephone: (86-755) 307 1443 or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services Co., Ltd.
Inspection & Testing Services
Textile Center Life Science Services

3rd Building No.889 Yishan Road Xuhui District, Shanghai, China 200233 t:(86-21)61152197 f:(86-21)64951517 www.sgs.com
中国·上海·徐汇区宜山路 889 号 3 号楼 邮编: 200233 t:(86-21)61152197 f:(86-21)64951517 e: sgs.china@sgs.com

Based on the ISO 10993-12:2012, the ratio of 0.1g:1 ml (Weight of the test sample to volume of extraction vehicle), 2g of the test articles were covered with 20 ml of extraction vehicles, then added an additional 28ml SC and additional 30ml CSO separately under aseptic conditions for preparing the SC and CSO test extract at 37 °C for 72 h respectively for each phase. The extracts were used after extraction.

The extracts were freshly prepared for 3 times in the process of the whole experiment.

Reagent Control:

Two extraction vehicles without the test sample were similarly prepared respectively.

Condition of extracts:

All the extracts of the test samples and controls were clear, no suspended particulates and without any special treatments.

Additional materials:

Freund's Complete Adjuvant (FCA) was mixed 50:50 (v/v) with the vehicle.

A 10% (w/w) sodium dodecyl sulphate suspension in paraffin.

In addition, according ISO10993-10 requirement, 5% mercaptobenzothiazole (dissolved in DMSO) as a positive control was used previously for another study this month. Complete data is traceable in laboratory records.

METHODS

Test System

Species: Albino guinea pig
Source: SHANGHAI SONGLIAN LAB ANIMAL-FEILD
Sex: Half males and half females (females were nulliparous and nonpregnant)
Body Weight Range: 303.8 g to 341.6 g
Age: Young adult
Number of animals: Thirty

Animal Management:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, identification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/ inspection report & certificate, please contact us at telephone: (86-755) 307 1443 or email: CN.Doccheck@sgs.com

SHLS 417847

SGS-CSTC 检测认证有限公司
Shanghai (China) Inspection & Testing Services
Testing Center Life Science Services

3rd Building No.889 Yishan Road Xuhui District, Shanghai, China 200233 t:(86-21)61152197 f:(86-21)64951517 www.sgs.com
中国·上海·徐汇区宜山路 889 号 3 号楼 邮编: 200233 t:(86-21)61152197 f:(86-21)64951517 e: sgs.china@sgs.com

Member of SGS Group (SGS SA)

Client name: SHANGHAI XIAN'ER TEXTILE TECH.CO., LTD.
Client address: #11,1333 JIANGNAN RD. SOUTH, CHANGXING TOWN, CHONGMING DISTRICT, SHANGHAI

Assignment ID: 14A2102242
Sample No.: 14S21006887

Husbandry: Conditions conformed to "Laboratory animal-Requirements of environment and housing facilities"; "ISO 10993-2:2006: Biological evaluation of medical devices Part 2: Animal welfare requirements".

Food: Diet was provided from DOUBLE LION EXPERIMENTAL ANIMAL FEED TECHNOLOGY CO., LTD.

Housing: Healthy animals were acclimatized to the laboratory conditions for 5 days before the treatment, and then they were individually housed in stainless steel suspended cages identified by a card indicating the Identification No. of the test article and first treatment date.

Environmental: The room temperature and humidity were monitored daily. The temperature range for the room was from 20 °C to 26 °C. The room humidity range was from 50 % to 70 %.


Personnel: Associates involved were appropriately qualified and trained.

Selection: Only healthy, unused animals were selected.

Experimental Procedure:

1. Intradermal induction phase (induction I):

The day prior to treatment, the fur was clipped on all treatment sites with an electric clipper. The 1st day, the test animals were injected with the fresh extracts of test article and the control animals were injected with the reagent control. Three rows of intradermal injections (two per row) were given to each animal within an approximate 2 cm x 4 cm boundary of the fur clipped area as illustrated below:



Test Animals:

- a) 0.1ml of 50:50(v/v) mixture of FCA and the chosen vehicle
- b) 0.1ml of test extract
- c) 0.1ml of 50:50(v/v) mixture of a and b

Control Animals:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, identification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC (Shanghai) Technical Services Co., Ltd.
Inspection & Testing Services
Technical Center Life Science Services

Attention: To check the authenticity of testing/ inspection report & certificate, please contact us at telephone: 86-21-5880307 1443 or email: CN.Doccheck@sgs.com

SHLS 80307 417848

3rd Building No.889 Yishan Road Xuhui District, Shanghai, China 200233 t(86-21)61152197 f(86-21)64951517 www.sgs.com
中国·上海·徐汇区宜山路 889 号 3 号楼 邮编: 200233 t(86-21)61152197 f(86-21)64951517 e sgs.china@sgs.com

- 0.1ml of 50:50(v/v) mixture of FCA and the vehicle
- 0.1ml of vehicle
- 0.1ml of 50:50(v/v) mixture of a and b

2. Topical induction phase (Induction II):

At 7th day after completion of the intradermal induction phase, the same area was clipped free of fur and treated with 10% sodium dodecyl sulphate suspension in paraffin. The suspension was massaged into the skin over the injection site to provoke a mild acute inflammation. The area was left uncovered.

At 8th day, a 20mm×40mm section of absorbent gauze patch, saturated with freshly prepared the extract of the test article, and then was topically applied to the previously injected sites of the test animals. The control animals were similarly patched with the appropriate reagent control. Each patch was secured with an occlusive dressing. The dressings and patches were removed after 48h.

3. Challenge phase

At 22nd days, the fur was clipped and shaved from the left flank areas. At 23rd day, absorbent gauze patches were soaked with the corresponding solution at the concentration of site C, and patched on the left upper flank of each animal in test and reagent control group. Then the animals were secured with an occlusive dressing. The dressings and patches were removed after 24 h.

4. Observation of animals

The appearance of the challenge skin sites of the test and control animals was observed respectively at 24 h and 48 h after removal of the dressing. The skin reactions for erythema and swelling were described and graded in according with the criteria shown below:

Patch test reaction	Grading Scale
No visible change	0
Discrete or patchy erythema	1
Moderate and confluent erythema	2
Intense erythema and swelling	3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, identification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

If the grades of less than 1 are seen in reagent control animals, grades of 1 or greater in the test group were generally indicated sensitization.

RESULTS

Clinical Observation:

All animals appeared clinically normal throughout the study.

Dermal Observations:


No evidence of sensitization was observed. Individual results of dermal scoring for the challenge phase shown below:

Time	Hours following patch removal			
	24 h		48 h	
Vehicle	SC	CSO	SC	CSO
Test article	0	0	0	0
Reagent Control	0	0	0	0

CONCLUSION

Under the conditions of this study, the SC and CSO extracts of the test article showed no evidence of causing sensitization in the guinea pig.

PHOTOGRAPH OF THE TEST ARTICLE



Remark: Results and conclusions apply only to the test article provided by Client. Therefore, this Report contains the results obtained in the test of the provided samples only and do not express any opinion upon the lot from which the samples were drawn or any similar samples.

***End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, identification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.